Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO

SUPPLEMENTAL INFORMATION **DISCLOSURE STATEMENT BY APPLICANT**

(use as many sheets as necessary)

of

| Complete if Known | | | | |
|------------------------|------------------|--|--|--|
| Application Number | 10/051,820 | | | |
| Filing Date | January 17, 2002 | | | |
| First Named Inventor | Zheng Wu et al. | | | |
| Group Art Unit | 2855 | | | |
| Examiner Name | Not yet assigned | | | |
| Attorney Docket Number | 107051-0001C1 | | | |
| | | | | |

| LEE . | OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS | | | | |
|---------------------|---|---|----|--|--|
| Examiner Initials * | Cite No.1 | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T² | | |
| H.D | 1 | Wu, Zheng, "Optimal Capacity Design of Water Distribution Systems," May 19, 2002, ASCE Annual Environmental and Water Resources System Analysis (EWRSA) Symposium, all pages. | | | |
| H.D | 2 | Wu, Zheng Yi et al., "Calibrating Water Distribution Model Via Genetic Algorithms," April 14-16, 2002, AWWA IMTech Conference, Kansas City, Missouri, all pages. | | | |
| | | | | | |
| | • | | | | |
| | | RECEIVED | | | |
| | | SEP 1 8 2002 | | | |
| | | Technology Center 2100 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Examiner Signature Forma-den | Day | Date Considered | 11/20/03 | |
|------------------------------|-----|--------------------|----------|--|
|------------------------------|-----|--------------------|----------|--|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.